1. P	RODUCT AND COMPANY	IDENTIFICATION	
Product Name: Company Name:	Naked Gun Ultra Spray Gun Paint Rer WM Barr & Company 6750 Lenox Center Court Suite 200 Memphis, TN 38115	nover	
Web site address: Emergency Contact:	www.wmbarr.com 3E 24 Hour Emergency Contact	(800)451-8346	
Information:	WM Barr Customer Service	(800)398-3892	
Product Category: Intended Use:	Home Improvement Paint/Varnish Remover		
Product Code:	ESG20, ESG30, GSG20, GSG30		
	2. HAZARDS IDENTIF	ICATION	
	ty (single exposure), Category 3		
GHS Signal Word:	Danger		
GHS Hazard Phrases: GHS Precautionary Phrases:	P210 - Keep away from heat/sparks/o P233 - Keep container tightly closed.	eye damage. n. iness. pre use. recautions have been read and understood. pen flames/hot surfaces No smoking.	
GHS Response Phrases:	 P240 - Ground/bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting// equipment. P242 - Use only non-sparking tools. P243 - Take precautionary measures against static discharge. P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. P264 - Wash hands thoroughly after handling. P271 - Use only outdoors or in a well-ventilated area. P280 - Wear protective gloves/protective clothing/eye protection/face protection. P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower. P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. 		

SAFETY DATA SHEET Naked Gun Ultra Spray Gun Paint Remover

Page: 2 of 6 Ver Printed: 02/16/2023 Revision: 02/15/2023 Supersedes Revision: 10/25/2022

			Supersedes Revision: 10/25/2022	
		-		
GHS Storag	e and Disposal	P403+235 - Store in cool/w	0	
Phrases:		P405 - Store locked up.		
		•	/container according to local, state and federal regulations.	
	3. CO	MPOSITION/INFOR	MATION ON INGREDIENTS	
CAS #	Hazardous Comp	onents (Chemical Name)	Concentration	
109-99-9	Tetrahydrofuran { 1,4-Epoxybutane}	THF; Diethylene oxide;	30.0 -60.0 %	
141-43-5	Ethanol, 2-Amino- Monoethanolamin	{Ethanolamine; e; beta-Aminoethyl alcohol}	1.0 -5.0 %	
NA	(Trade Secret)		0.1 -1.0 %	
NA	(Trade Secret)		0.1 -1.0 %	
NA	(Trade Secret)		0.1 -1.0 %	
Additional C	hemical	** Actual concentration is wi trade secret.	thheld as a trade secret. Ingredient identity is witheld as a	
		4. FIRST All	D MEASURES	
Emergency Procedures:	and First Aid			
In Case of Inhalation: If inhaled, remove to fresh air.				
In Case of Skin Contact: Immediately flush skin with plenty of water. Remove contaminated clothing. Get medical attention if irritation develops or persists. Wash clothing before reuse.				
In Case of Eye Contact: Immediately flush eyes with water for at least 15 minutes while holding eyelids of Get medical attention.		water for at least 15 minutes while holding eyelids open.		
In Case of Ingestion:		If swallowed, do not induce vomiting unless directed to do so by medical personnel.		
-	ymptoms Of	**Refer to section 2.		
Exposure:				
		5. FIRE FIGHT	ING MEASURES	
Flammabilit	y Classification:	NFPA Classification 1-B		
Flash Pt:		6.00 F Method Used: Se	taflash Closed Cup (Rapid Setaflash)	
Explosive Li	imits:	LEL:	UEL:	
Autoignition	n Pt:	N.D.		
Suitable Ext	inguishing Media	Dry chemical, CO2, alcohol	-resistant foam or water spray.	
l Incuitable I	Extinguishing	Do NOT use straight stream	ns of water.	
			Fighting Instructions:As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear.	
Media:	g Instructions:	MSHA/NIOSH (approved or	equivalent), and full protective gear.	
Media: Fire Fighting	g Instructions: Properties and	-	equivalent), and full protective gear.	

SAFETY DATA SHEET Naked Gun Ultra Spray Gun Paint Remover

		Supers	edes Revision: 10/25/2022
	6. ACCIDENT	AL RELEASE MEASURES	
Protective Precautions, Protective Equipment and Emergency Procedures:	Safety glasses. Handle with gloves. Wear appropriate protective clothing to prevent skir exposure.		
Environmental Precautions:	Do not let product enter drains.		
Steps To Be Taken In Case Material Is Released Or Spilled:	Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.		
	7. HAND	LING AND STORAGE	
Precautions To Be Taken in Handling:	Avoid contact with eyes, skin, and clothing. Wash thoroughly after handling. A source of clean water should be kept in the immediate work area for flushing of the eyes and skin.		
Precautions To Be Taken in Storing:	Keep container tightly closed when not in use. Store in a cool, dry place. Do not store near flames or at elevated temperatures.		
Other Precautions:	Read carefully and f	ollow all instructions.	
8. EXP	OSURE CONT	ROLS/PERSONAL PROTECTION	NC
CAS # Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations
109-99-9 Tetrahydrofuran {TH Diethylene oxide; 1,4-Epoxybutar	ne}	TLV: 50 ppm STEL: 100 ppm	
141-43-5 Ethanol, 2-Amino- {Ethanolamine; Monoethanolamin beta-Aminoethyl alcohol}	OSHA PELs ACGIH TLV ie;	PEL: 200 ppm TLV: 3 ppm STEL: 6 ppm	
	OSHA PELs	PEL: 3 ppm	
Respiratory Equipment (Specify Type):	cify Type): respiratory protection should not be needed.		adequate ventilation,
Eye Protection:	Eye protection recommended.		
Protective Gloves:	Wear appropriate gloves to prevent skin exposure.		
Other Protective Clothing: Engineering Controls	Wear appropriate protective clothing to prevent skin exposure. A single prolonged skin exposure is not likely to result in the material being absorbed in		
(Ventilation etc.):	harmful amounts.		shar borng aboorbod in
9.	PHYSICAL AN	ID CHEMICAL PROPERTIES	
Physical States:	[]Gas [X]Liq	uid [] Solid	
Appearance and Odor:	Clear to slightly hazay, yellow liquid. Slight ethereal odor.		
	Odor threshold not c	determined.	
pH:	10.5 - 10.6		
Melting Point:	N.D.		

6.00 F Method Used: Setaflash Closed Cup (Rapid Setaflash)

UEL:

> 99.90 F

LEL:

> 1 (BuAC=1)

EXTREMELY FLAMMABLE.

Boiling Point:

Evaporation Rate:

Explosive Limits:

Flammability (solid, gas):

Flash Pt:

Vapor Pressure (vs. Air or mm Hg):	N.D.
Vapor Density (vs. Air = 1):	> 1
Specific Gravity (Water = 1):	0.9510
Density:	7.912 LB/GA
Solubility in Water:	Miscible
Saturated Vapor Concentration:	N.D.
Octanol/Water Partition Coefficient:	N.D.
Percent Volatile:	98.37 % by weight.
VOC / Volume:	45.0400 % WT
Autoignition Pt:	N.D.
Decomposition	N.D.
Temperature:	
Viscosity:	1 CPS

Information with regard to primary physical hazard:

	10. STABILITY AND REACTIVITY
Stability:	Unstable [] Stable [X]
Conditions To Avoid - Instability:	**None known.
Incompatibility - Materials To Avoid:	**None known.
Hazardous Decomposition of Byproducts:	r Nitrogen oxides, Carbon oxides.
Possibility of Hazardous Reactions:	Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions:	**None known.

	11. TOXICOLOGICAL INFORMATION		
Toxicological Information:	This product has not been tested as a whole. Information below will be for individual ingredients. Refer to section 2 for acute and chronic health effects. CAS# 109-99-9:		
	Other Studies:, TDLo, Oral, Rat, 26280. mg/kg.		
	Result: Liver: Tumors.		
	Kidney, Ureter, Bladder: Kidney tumors. - Toxicologist., Soc. of Toxicology, Inc., 475 Wolf Ledge Parkway, Akron, OH 44311, Vol/p/yr: 60,286, 2001		
	CAS# 141-43-5:		
	Acute toxicity, LD50, Oral, Rat, 1720. MG/KG. Result:		
	Brain and Coverings: Other degenerative changes. Autonomic Nervous System: Other (direct) parasympathomimetic. Autonomic Nervous System: Parasympatholytic.		
	- Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 42,417, 1977		
	Open irritation test., Skin, Species: Rabbit, 505.0 MG, Moderate. Result:		
	Peripheral Nerve and Sensation: Sensory change involving segmental distribution. Behavioral: Alteration of classical conditioning.		
	- Union Carbide Data Sheet, Union Carbide Corp., 39 Old Ridgebury Rd., Danbury, CT 06817, Vol/p/yr: 1/13, 1972		
	Standard Draize Test, Eyes, Species: Rabbit, 250.0 UG, Severe. Result:		
	Peripheral Nerve and Sensation: Sensory change involving segmental distribution. Behavioral: Change in motor activity (specific assay). Behavioral: Alteration of classical conditioning.		
	- American Journal of Ophthalmology., Ophthalmic Pub. Co., 435 N. Michigan Ave., Suite 1415, Chicago, IL 60611, Vol/p/yr: 29,1363, 1946		
Carcinogenicity:	NTP? Unknown IARC Monographs? Unknown OSHA Regulated? Unknown		
	12. ECOLOGICAL INFORMATION		
General Ecological Information:	This product has not been tested as a whole.		
	13. DISPOSAL CONSIDERATIONS		
Waste Disposal Method:	Dispose in accordance with applicable local, state, and federal regulations.		
	14. TRANSPORT INFORMATION		

		SAFE	ETY DATA SHE	ET	Page: 6 of 6
		Naked Gun Ultr	a Spray Gun Pa	int Remover	Printed: 02/16/2023 Revision: 02/15/2023
				Supe	rsedes Revision: 10/25/2022
LAND TRAN	ISPORT (US DOT)	:			
DOT Prop	per Shipping Name	e: Paint related materia compound]	I [including paint thin	ning, drying, remo	ving, or reducing
DOT Haza	ard Class:	3 FLA	MMABLE LIQUID		
UN/NA Number:		UN1263	Packing G	roup:	II
		FLEMMAREL LIQUE			
Additional Transport Information:		The shipper / supplier may be able to apply one of the following exceptions if allowed under 49 CFR Regulations: Combustible Liquid, Consumer Commodity, Limited Quantity, Viscous Liquid, Does Not Sustain Combustion, or others, as allowed under 49 CFR Hazmat Regulations. Please consult 49 CFR Subchapter C to ensure that subsequent shipments comply with these exceptions.			
		15. REGULAT	ORY INFORMA	TION	
EPA SARA (S	Superfund Amendm	ents and Reauthorization	Act of 1986) Lists		
CAS #	-	oonents (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
109-99-9	Tetrahydrofuran {THF; Diethylene oxide; 1,4-Epoxybutane}		No	Yes NA	No
141-43-5	Ethanol, 2-Amino- {Ethanolamine; Monoethanolamine; beta-Aminoethyl alcohol}		No	No	No
NA	(Trade Secret)		No	No	Yes-Cat
NA	(Trade Secret)		No	No	No
NA	(Trade Secret)		No	No	No
Additional R Information	Regulatory	Act. These requirements required for safety data information, including dir using the product.	labeling requirements differ from the classi sheets (SDS). The pro rections for use, and s	under the Federa fication criteria an oduct label also in should always be	al Hazardous Substances d hazard information
		16. OTHER	RINFORMATIO	N	
Revision Da	te:	02/15/2023	Previous re	evision:	10/25/2022
Additional Ir This Produc Company Po Disclaimer:	t:	N.D.: Not determined.			